

Herd Immunity Presentation to Senate Health and Welfare Committee

By Leslie Manookian

Board Member of Health Freedom Idaho

February 23, 2017

CDC Vaccine Schedule to Age 18

1983

2014

Vaccines

Doses

Vaccines

Doses

Diphtheria	5
Tetanus	6
Pertussis	5
Measles	1
Mumps	1
Rubella	1
Polio	4

Diphtheria	6
Tetanus	6
Pertussis	6
Measles	2
Mumps	2
Rubella	2
Polio	4
Hib	3
Rotavirus	3
Hepatitis B	3
Pneumococcal	4
Influenza	19
Chicken Pox	2
Hepatitis A	2
HPV	3
Meningococcal	2

23

69

Adult Vaccine Schedule:

If you live to 80 and follow CDC's schedule, you'll get another 91 doses of 11 vaccines

- Flu shot annually (63)
- Shingles – (1)
- Tdap – (3)
- Tetanus-Diphtheria (every 10 years=12)
- Varicella – (2)
- HPV – (3)
- MMR – (6)
- Pneumococcal – (1)

Source: [CDC](#)

Vaccine Ingredients:

Cells from aborted fetuses
Monkey kidneys
Chicken embryos
Mouse brain
Chicken kidneys
Monkey lung tissue
Cow milk protein
Sheep blood
Cow heart
Cow pancreatic enzymes
Human blood protein
Gelatin – various animals
Calf serum

Aluminum
Mercury
Formaldehyde
Yeast
Antibiotics
MSG
Polysorbate 80
Disinfectant
Soy protein
Antibacterials
Viruses
Bacteria
Genetically engineered organisms

<http://www.cdc.gov/vaccines/pubs/pinkbook/downloads/appendices/B/excipient-table-2.pdf>

Vaccines: Flawed Safety Studies

- Placebos are not placebos
- Vaccines studied singly but given in large combinations
- Vaccine safety studies use healthy subjects
- Vaccine research compares vaccinated to vaccinated populations
- No large, long-term clinical study comparing vaccinated to unvaccinated

Vaccines: Declining Health of Children

- 54% of US kids chronically ill or obese.¹
- 26% at risk of developmental disability (0-6yrs)²
- 1 in 50 kids has autism, 1 in 31 boys (3%)³
- 31% are overweight or obese.⁴
- 1 in 400 diabetic (+20% in 10 years)⁵
- 1 in 300 boys, 1 in 333 girls develop cancer.⁶

1 <https://www.acco.org/Information/AboutChildhoodCancer/ChildhoodCancerStatistics.aspx>

2 [http://www.academicpedsinl.net/article/S1876-2859\(10\)00250-0/fulltext - sec3.1.2](http://www.academicpedsinl.net/article/S1876-2859(10)00250-0/fulltext - sec3.1.2)

3 <http://www.cdc.gov/nchs/data/nhsr/nhsr065.pdf>

4 [http://www.academicpedsinl.net/article/S1876-2859\(10\)00250-0/fulltext - sec3.1.2](http://www.academicpedsinl.net/article/S1876-2859(10)00250-0/fulltext - sec3.1.2)

5 <http://health.usnews.com/health-news/news/articles/2012/06/09/diabetes-rising-rapidly-among-us-kids>

6 http://www.ieffgordonchildrensfoundation.org/site/c.5oIDJRPvGfISF/b.6874173/k.4BBE/Childhood_Cancer_Stats.htm

Poor Health of Population

- US spends \$2.7 TRILLION on healthcare
- US spends \$270 BILLION on drugs
- US spends \$8745 per capita on healthcare vs. OECD average of \$3484
- US life expectancy 78.7, OECD avg. 80.2 years, Iceland, Japan, Switzerland 83 years
- US infant mortality rate 6 per 1000 live births, OECD avg. 4, Iceland 1.1, Slovenia 1.6, Japan 2.2

Vaccine Injury Reports to Vaccine Adverse Reporting System (VAERS) since 1989

- 64,513 reports of “serious” adverse reactions
- 163,010 reported visits to ER
- 49,569 reported hospitalizations
- 65,934 did not recover
- 5,736 reported deaths


VAERS is a passive surveillance system and estimates are that only 1%-10% of all adverse reactions are reported, some reports come from outside US

“Annual summary of vital statistics: trends in the health of Americans during the 20th century”

- “Thus vaccination does not account for the impressive declines in mortality seen in the first half of the twentieth century....
- “Once again, nearly 90% of the decline in infectious disease mortality among US children occurred before 1940, when few antibiotics or vaccines were available.”
- “State and local health departments implemented these public health measures including water treatment, food safety, organized solid waste disposal, and public education about hygienic practices.”

<http://www.ncbi.nlm.nih.gov/pubmed/11099582>

Declining Disease Mortality in US Before Vaccinations



Live flu vaccine “symptoms”

The nasal spray sometimes causes mild “symptoms”, including:

- Runny nose
- Congestion or cough
- Headache
- Vomiting
- Muscle aches
- Fever

Vaccinated Spread Disease

- Measles transmission from a twice vaccinated individual <https://academic.oup.com/cid/article/58/9/1205/2895266/Outbreak-of-Measles-Among-Persons-With-Prior>
- Sibling Transmission of Vaccine-Derived Rotavirus (RotaTeq) Associated with Rotavirus Gastroenteritis <http://pediatrics.aappublications.org/content/125/2/e438>
- The Safety Profile of Varicella Vaccine: A 10-Year Review https://academic.oup.com/jid/article/197/Supplement_2/S165/844351/The-Safety-Profile-of-Varicella-Vaccine-A-10-Year

Vaccine Shedding

- Detection of Fecal Shedding of Rotavirus Vaccine in Infants Following Their First Dose of Pentavalent Rotavirus Vaccine <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4459210/>
- Shedding of Ann Arbor strain live attenuated influenza vaccine virus in children 6-59 months of age <https://www.ncbi.nlm.nih.gov/pubmed/21513761>
- Detection of measles virus RNA in urine specimens from vaccine recipients <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC228449/>

Pertussis (Whooping Cough)

- Vaccination increases rates of non vaccine strain in lungs 40-fold
- Study Finds Parents Can Pass Whooping Cough to Babies http://www.nytimes.com/2007/04/03/health/03coug.html?_r=0
- Acellular pertussis vaccines protect against disease but fail to prevent infection and transmission... <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC3063653/>
- Immunized People Getting Whooping Cough <http://www.kpbs.org/news/2014/jun/12/immunized-people-getting-whooping-cough/>

Does the flu vaccine work?

- "A review of 50 studies that included more than 70,000 adults found that 100 people needed to be vaccinated to avoid one case of flu. That means the vaccine failed 99 percent who took it — they received no benefit at preventing the flu."
- "Nor has it been shown to prevent flu complications, such as pneumonia, hospitalizations and death, in well over 90 percent who receive it.
- "There are no good studies showing that the flu vaccine is effective for seniors," he says. "When you take apart and break down a recent study that the government uses to promote the flu vaccine to senior citizens, you'll find that 217 elderly people had to take the high-dose flu vaccine to prevent a single case of flu — that's a 99 percent failure.

<http://www.newsmax.com/Health/Headline/flu-shot-failure-David-Brownstein/2015/09/23/id/692861/>

Vaccine Failure

- Analysis of Mumps Vaccine Failure <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC96204/>
- Largest Measles Epidemic in North America in a Decade <https://academic.oup.com/jid/article/207/6/990/898747/Largest-Measles-Epidemic-in-North-America-in-a>
- Primary versus secondary failure after varicella vaccination: implications for interval between 2 doses <https://www.ncbi.nlm.nih.gov/pubmed/23838789>

Antibodies and Waning Immunity

- Loss of Vaccine-Induced Immunity to Varicella over Time <http://www.neim.org/doi/full/10.1056/NEJMoa064040#t=article>
- Implications of vaccination and waning immunity <http://rspb.royalsocietypublishing.org/content/276/1664/2071>
- Study Calls Into Question Primary Justification for Vaccines <http://www.greenmedinfo.com/blog/study-disproves-cdcs-primary-justification-vaccination>
- Antibody Response To Vaccine Does Not Equal Immunity or Protection <http://www.vaccines.me/articles/cgez-antibody-response-to-vaccine-does-not-equal-immunity-or-protection.cfm>

Dr. Thompson's statement

I regret that my coauthors and I omitted statistically significant information in our 2004 article published in the journal *Pediatrics*. *The omitted data suggested that African American males who received the MMR vaccine before age 36 months were at increased risk for autism. Decisions were made regarding which findings to report after the data were collected, and I believe that the final study protocol was not followed.*

<https://morganverkamp.com/statement-of-william-w-thompson-ph-d-regarding-the-2004-article-examining-the-possibility-of-a-relationship-between-mmr-vaccine-and-autism/>

<http://www.newsmax.com/Health/Headline/autism-vaccine-coverup-CDC/2015/08/03/id/665245/>

Merck mumps vaccine lawsuit

- “...efficacy tests for the measles, mumps, rubella vaccine (MMR) were faked.”
- “This is a major federal case alleging fraud in vaccine testing; it encapsulates how medical research can be manipulated to achieve desired results, and why it may be wise to question the integrity and the validity of “science-based medicine.”
- “...Merck knew its measles, mumps, rubella (MMR) vaccine was less effective than the purported 95% level”
- Merck began a sham testing program in the late 1990’s to hide the declining efficacy of the vaccine.”
- Whistleblowers were “threatened with jail were they to alert the FDA to the fraud being committed.”

More CDC Whistleblowers

- “It appears that our mission is being influenced and shaped by outside parties and rogue interests... and Congressional intent for our agency is being circumvented by some of our leaders. What concerns us most, is that it is becoming the norm and not the rare exception,” the letter states. “These questionable and unethical practices threaten to undermine our credibility and reputation as a trusted leader in public health.”

True Purpose of Vaccine Information - to bring people into “compliance”

- “To identify areas of undervaccination for measles and other vaccine-preventable diseases, state and local health departments monitor compliance with school immunization requirements”
- “The coverage target is $\geq 95\%$ vaccination coverage for the following vaccines: MMR; diphtheria, tetanus toxoid, and acellular pertussis (DTaP)[†]; poliovirus; hepatitis B (HepB); and varicella”
- “...health department or school personnel conduct a vaccination coverage survey or census of enrolled students to determine compliance with school requirements
- “Results of the school-level reviews are reported to the grantee health department, which then reports aggregated totals to CDC”